

Wissenschaftliche Publikationen 2010

Originalarbeiten

Erstautorenschaften

Fidarova EF, Berger D, Schüssler S, Dimopoulos J, Kirisits C, Georg P, Bachtary B, Pötter R. Dose volume parameter D2cc does not correlate with vaginal side effects in individual patients with cervical cancer treated within a defined treatment protocol with very high brachytherapy doses. *Radiother Oncol.* 2010 Oct;97(1):76-9. IF: 4.343 (Ant. IF: 4.343)

Georg D, Kragl G, Wetterstedt S, McCavana P, McClean B, Knöös T. Photon beam quality variations of a flattening filter free linear accelerator. *Med Phys.* 2010 Jan;37(1):49-53. IF: 2.704 (Ant. IF: 2.704)

Goldner G, Dimopoulos J, Pötter R. Is the Roach formula predictive for biochemical outcome in prostate cancer patients with minimal residual disease undergoing local radiotherapy after radical prostatectomy? *Radiother Oncol.* 2010 Mar;94(3):324-7. IF: 4.343 (Ant. IF: 4.343)

Hillbrand M, Georg D. Assessing a set of optimal user interface parameters for intensity-modulated proton therapy planning. *J Appl Clin Med Phys.* 2010 Aug 20;11(4):3219. IF: 1.168 (Ant. IF: 1.168)

Stock M, Dörr W, Stromberger C, Mock U, Koizar S, Pötter R, Georg D. Investigations on parotid gland recovery after IMRT in head and neck tumor patients. *Strahlenther Onkol.* 2010 Dec;186(12):665-71 IF: 3.776 (Ant. IF: 3.776)

Koautorenschaften

Blüml S, Binder NB, Niederreiter B, Polzer K, Hayer S, Tauber S, Schett G, Scheinecker C, Kollias G, **Selzer E**, Bilban M, Smolen JS, Superti-Furga G, Redlich K. Antiinflammatory effects of tumor necrosis factor on hematopoietic cells in a murine model of erosive arthritis. *Arthritis Rheum.* 2010 Jun;62(6):1608-19.

Dalaryd M, **Kragl G**, Ceberg C, **Georg D**, McClean B, af Wetterstedt S, Wieslander E, Knöös T. A Monte Carlo study of a flattening filter-free linear accelerator verified with measurements. *Phys Med Biol.* 2010 Dec 7;55(23):7333-44.

Dorner TE, Schwarz F, **Kranz A**, Freidl W, Rieder A, Gisinger C. Body mass index and the risk of infections in institutionalised geriatric patients. *Br J Nutr.* 2010 Jun;103(12):1830-5.

Eder-Czembirek C, Erovic BM, Czembirek C, Brunner M, **Selzer E, Pötter R**, Thurnher D. Betulinic Acid a Radiosensitizer in Head and Neck Squamous Cell Carcinoma Cell Lines. *Strahlenther Onkol.* 2010 Feb 22. [Epub ahead of print]

Elsässer T, Weyrather WK, Friedrich T, Durante M, Iancu G, Krämer M, **Kragl G**, Brons S, Winter M, Weber KJ, Scholz M. Quantification of the relative biological effectiveness for ion beam radiotherapy: direct experimental comparison of proton and carbon ion beams and a novel approach for treatment planning. *Int J Radiat Oncol Biol Phys.* 2010 Nov 15;78(4):1177-83.

Erovic BM, Schopper C, Pammer J, Vormittag L, **Maleki A**, Brunner M, Heiduschka G, Grasl MCh, Thurnher D. Multimodal treatment of patients with minor salivary gland cancer in the case of recurrent disease. *Head Neck.* 2010 Sep;32(9):1167-72.

Fakhrai N, Ebm C, Kostler WJ, Jantsch M, Abdolvahab F, Dominkus M, **Pokrajac B**, **Kauer-Dorner D**, Zielinski CC, Brodowicz T; Austrian Cooperative Soft Tissue Sarcoma Study Group.
Intensified adjuvant IFADIC chemotherapy in combination with radiotherapy versus radiotherapy alone for soft tissue sarcoma: long-term follow-up of a prospective randomized feasibility trial.
Wien Klin Wochenschr. 2010 Nov;122(21-22):614-9.

Figl M, **Bloch C**, Gendrin C, Weber C, Pawiro SA, Hummel J, Markelj P, Pernus F, Bergmann H, Birkfellner W.
Efficient implementation of the rank correlation merit function for 2D/3D registration.
Phys Med Biol. 2010 Oct 7;55(19):N465-71.

Fromm-Haidenberger S, Pohl G, Widder J, Kren G, Fitzal F, Bartsch R, de Vries J, Zielinski C, **Pötter R**.
Vienna international summer school on experimental and clinical oncology for medical students: an Austrian cancer education project.
J Cancer Educ. 2010 Mar;25(1):51-4.

Gaze MN, Boterberg T, **Dieckmann K**, Habrand JL, Helfré S, Peylan-Ramu N, Chrzanowska EK, Schreier G, Ladenstein R.
Development of an electronic database for quality assurance of radiotherapy in the International Society of Paediatric Oncology (Europe) high risk neuroblastoma study.
Radiother Oncol. 2010 Dec;97(3):593-5.

Guedea F, Venselaar J, Hoskin P, Hellebust TP, Peiffert D, Londres B, Ventura M, Mazon JJ, Limbergen EV, **Pötter R**, Kovacs G.
Patterns of care for brachytherapy in Europe: updated results.
Radiother Oncol. 2010 Dec;97(3):514-20.

Hassler MR, Elandt K, Preusser M, Lehrner J, Binder P, **Dieckmann K**, **Rottenfusser A**, Marosi C.
Neurocognitive training in patients with high-grade glioma: a pilot study.
J Neurooncol. 2010 Mar;97(1):109-15.

Heintel D, Skrabs C, Hauswirth A, Eigenberger K, Einberger C, Raderer M, Sperr WR, Knöbl P, Müllauer L, Uffmann M, **Dieckmann K**, Gaiger A, Jäger U.
Nonpegylated liposomal doxorubicin is highly active in patients with B and T/NK cell lymphomas with cardiac comorbidity or higher age.
Ann Hematol. 2010 Feb;89(2):163-9.

Hellebust TP, **Kirisits C**, **Berger D**, Pérez-Calatayud J, De Brabandere M, De Leeuw A, Dumas I, Hudej R, Lowe G, Wills R, Tanderup K; Gynaecological (GYN) GEC-ESTRO Working Group.
Recommendations from Gynaecological (GYN) GEC-ESTRO Working Group: considerations and pitfalls in commissioning and applicator reconstruction in 3D image-based treatment planning of cervix cancer brachytherapy.
Radiother Oncol. 2010 Aug;96(2):153-60.

Jamema SV, **Kirisits C**, Mahantshetty U, **Trnkova P**, Deshpande DD, Shrivastava SK, **Pötter R**.
Comparison of DVH parameters and loading patterns of standard loading, manual and inverse optimization for intracavitary brachytherapy on a subset of tandem/ovoid cases.
Radiother Oncol. 2010 Dec;97(3):501-6.

Jürgenliemk-Schulz IM, **Lang S**, Tanderup K, de Leeuw A, **Kirisits C**, Lindegaard J, Petric P, Hudej R, **Pötter R**; Gyn GEC ESTRO network.
Variation of treatment planning parameters (D90 HR-CTV, D 2cc for OAR) for cervical cancer tandem ring brachytherapy in a multicentre setting: comparison of standard planning and 3D image guided optimisation based on a joint protocol for dose-volume constraints.
Radiother Oncol. 2010 Mar;94(3):339-45.

Karlic H, Herrmann H, Schulenburg A, Grunt TW, Laffer S, Mirkina I, Hubmann R, Shehata M, Marian B, **Selzer E**, Pfeilstöcker M, Pittermann E, Jäger U, Pehamberger H, Zielinski C, Valent P.
Tumor stem cell research - basis and challenge for diagnosis and therapy.
Wien Klin Wochenschr. 2010 Jul;122(13-14):423-36.

Langer FB, Schoppmann SF, Prager G, Tomaselli F, Pluschnig U, Hejna M, **Schmid R**, Zacherl J. Temporary placement of self-expanding oesophageal stents as bridging for neo-adjuvant therapy. *Ann Surg Oncol.* 2010 Feb;17(2):470-5.

Mauz-Körholz C, Hasenclever D, Dörffel W, Ruschke K, Pelz T, Voigt A, Stiefel M, Winkler M, Vilser C, **Dieckmann K**, Karlén J, Bergsträsser E, Fosså A, Mann G, Hummel M, Klapper W, Stein H, Vordermark D, Kluge R, Körholz D. Procarbazine-free OEPA-COPDAC chemotherapy in boys and standard OPPA-COPP in girls have comparable effectiveness in pediatric Hodgkin's lymphoma: the GPOH-HD-2002 study. *J Clin Oncol.* 2010 Aug 10;28(23):3680-6.

Polgár C, Van Limbergen E, **Pötter R**, Kovács G, Polo A, Lyczek J, Hildebrandt G, Niehoff P, Guinot JL, Guedea F, Johansson B, Ott OJ, Major T, Strnad V; GEC-ESTRO breast cancer working group. Patient selection for accelerated partial-breast irradiation (APBI) after breast-conserving surgery: recommendations of the Groupe Européen de Curiothérapie-European Society for Therapeutic Radiology and Oncology (GEC-ESTRO) breast cancer working group based on clinical evidence (2009). *Radiother Oncol.* 2010 Mar;94(3):264-73.

Preusser M, Hutterer M, Sohm M, Koperek O, Elandt K, **Dieckmann K**, Prayer D, Marosi C. Disease stabilization of progressive olfactory neuroblastoma (esthesioneuroblastoma) under treatment with sunitinib mesylate. *J Neurooncol.* 2010 Apr;97(2):305-8.

Preusser M, Woehrer A, Koperek O, **Rottenfusser A**, **Dieckmann K**, Gatterbauer B, Roessler K, Slavc I, Jaeger U, Streubel B, Hainfellner JA, Chott A. Primary central nervous system lymphoma: a clinicopathological study of 75 cases. *Pathology.* 2010;42(6):547-52.

Schellong G, Riepenhausen M, Bruch C, Kotthoff S, Vogt J, Bölling T, **Dieckmann K**, **Pötter R**, Heinecke A, Brämshwig J, Dörffel W. Late valvular and other cardiac diseases after different doses of mediastinal radiotherapy for Hodgkin disease in children and adolescents: report from the longitudinal GPOH follow-up project of the German-Austrian DAL-HD studies. *Pediatr Blood Cancer.* 2010 Dec 1;55(6):1145-52.

Schuetz M, Schmid MP, **Pötter R**, Kommata S, **Georg D**, Lukic D, Dudczak R, Kletter K, **Dimopoulos J**, Karanikas G, **Bachtiary B**. Evaluating repetitive 18F-fluoroazomycin-arabinoide (18FAZA) PET in the setting of MRI guided adaptive radiotherapy in cervical cancer. *Acta Oncol.* 2010 Oct;49(7):941-7.

Tanderup K, **Georg D**, **Pötter R**, **Kirisits C**, Grau C, Lindegaard JC. Adaptive management of cervical cancer radiotherapy. *Semin Radiat Oncol.* 2010 Apr;20(2):121-9.

Tanderup K, **Pötter R**, Lindegaard JC, **Berger D**, Wambersie A, **Kirisits C**. PTV margins should not be used to compensate for uncertainties in 3D image guided intracavitary brachytherapy. *Radiother Oncol.* 2010 Dec;97(3):495-500.

Traby L, Kaider A, Schmid R, **Kranz A**, Quehenberger P, Kyrle PA, Eichinger S. The effects of low-molecular-weight heparin at two different dosages on thrombin generation in cancer patients. A randomised controlled trial. *Thromb Haemost.* 2010 Jul 5;104(1):92-9.

Troch M, Koperek O, Scheuba C, **Dieckmann K**, Hoffmann M, Niederle B, Raderer M. High efficacy of concomitant treatment of undifferentiated (anaplastic) thyroid cancer with radiation and docetaxel. *J Clin Endocrinol Metab.* 2010 Sep;95(9):E54-7.

Wolf B, Kührer I, Akan B, Teleky B, Kappel S, **Schmid R**, Wrba F, Mittlböck M, Kandioler D.
PART 1-p53 adapted preoperative radiotherapy for T2 and T3 rectal cancer. A study of the p53
research group.
Eur Surg 2010 Jan 42;(1):18-23.